



SAFETY DATA SHEET

5L SUPER PROFESSIONAL GREEN DETERGENT D3

Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	5L SUPER PROFESSIONAL GREEN DETERGENT D3	
Product number	800-152-1105 D3	
Container size	5L	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Detergent.	
1.3. Details of the supplier of t	he safety data sheet	
Supplier	Mirius [™] A Coventry Group Company Woodhams Road Siskin Drive Coventry CV3 4FX Tel: +44 (0) 02476 639 739 Fax: +44 (0) 02476 639 717 Email: sales@mirius.com	
Contact person	For content of safety data sheet:, sds@mirius.com	
1.4. Emergency telephone number		
1.4. Emergency telephone nu	mber	
1.4. Emergency telephone nul Emergency telephone	mber +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)	
Emergency telephone	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human	
Emergency telephone National emergency telephone	 +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) a In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 	
Emergency telephone National emergency telephone number	 +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 ation 	
Emergency telephone National emergency telephone number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008)	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) a In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 ation cance or mixture	
Emergency telephone National emergency telephone number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) a In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 ation cance or mixture Not Classified	
Emergency telephone National emergency telephone number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) a In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 ation cance or mixture Not Classified Eye Irrit. 2 - H319	
Emergency telephone National emergency telephone number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) a In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 ation cance or mixture Not Classified	
Emergency telephone National emergency telephone number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards 2.2. Label elements	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) a In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 ation cance or mixture Not Classified Eye Irrit. 2 - H319	
Emergency telephone National emergency telephone number SECTION 2: Hazards identific 2.1. Classification of the subst Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) a In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 ation cance or mixture Not Classified Eye Irrit. 2 - H319	

1/12

Hazard statements	H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	 P102 Keep out of reach of children. P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.
Contains	C12-14-ALKYL ETHER SULFATES, COCONUT DIETHANOLAMIDE, AMINES, C12-14 - ALKYLDIMETHYL, N-OXIDES
Detergent labelling	< 5% anionic surfactants, < 5% non-ionic surfactants, Contains 2-Bromo-2-nitropropane-1, 3- diol

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

C12-14-ALKYL ETHER SULFATE	25		1-5%
CAS number: 68891-38-3	EC number: 500-234-8	REACH registration number: 01-	
		2119488639-16-XXXX	
Classification	Classificati	on (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315	Xi;R38,R4	Xi;R38,R41.	
Eye Dam. 1 - H318			
Aquatic Chronic 3 - H412			
AMINES, C12-14 -ALKYLDIMET	HYL, N-OXIDES		<1%
AMINES, C12-14 -ALKYLDIMET CAS number: 308062-28-4	HYL, N-OXIDES EC number: 931-292-6	REACH registration number: 01- 2119490061-47-XXXX	<1%
		REACH registration number: 01- 2119490061-47-XXXX	<1%
CAS number: 308062-28-4	EC number: 931-292-6	-	<1%
CAS number: 308062-28-4 M factor (Acute) = 1	EC number: 931-292-6 Classificati	2119490061-47-XXXX	<1%
CAS number: 308062-28-4 M factor (Acute) = 1 Classification	EC number: 931-292-6 Classificati	2119490061-47-XXXX on (67/548/EEC or 1999/45/EC)	<1%
CAS number: 308062-28-4 M factor (Acute) = 1 Classification Acute Tox. 4 - H302	EC number: 931-292-6 Classificati	2119490061-47-XXXX on (67/548/EEC or 1999/45/EC)	<1%
CAS number: 308062-28-4 M factor (Acute) = 1 Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315	EC number: 931-292-6 Classificati	2119490061-47-XXXX on (67/548/EEC or 1999/45/EC)	<1%

BRONOPOL (INN)		<1%
CAS number: 52-51-7	EC number: 200-143-0	REACH registration number: 01- 2119980938-15-XXXX
M factor (Acute) = 10		
Classification	Classificatio	on (67/548/EEC or 1999/45/EC)
Acute Tox. 4 - H302	Xn;R21/22	Xi;R37/38,R41 N;R50
Acute Tox. 4 - H312		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures 4.1. Description of first aid measures General information Provide eyewash station. Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues. Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues. Skin contact Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing. Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing. Show this Safety Data Sheet to the medical personnel. 4.2. Most important symptoms and effects, both acute and delayed General information Provide eyewash station. Skin contact Prolonged contact may cause redness, irritation and dry skin. Eye contact The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the following adverse effects: Irritation and redness, followed by blurred vision. Corneal damage. Risk of serious damage to eyes. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor No specific recommendations. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder. 5.2. Special hazards arising from the substance or mixture Hazardous combustion Thermal decomposition or combustion products may include the following substances: Oxides products of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.		
SECTION 6: Accidental release	e measures		
6.1. Personal precautions, pro	tective equipment and emergency procedures		
Personal precautions	For personal protection, see Section 8. Treat the spilled material according to the instructions in the clean-up section. Take care as floors and other surfaces may become slippery.		
6.2. Environmental precaution	<u>S</u>		
Environmental precautions	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.		
6.3. Methods and material for	containment and cleaning up		
Methods for cleaning up	Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.		
6.4. Reference to other section			
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.		
SECTION 7: Handling and sto	rage		
7.1. Precautions for safe hand	ling		
Usage precautions	Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do not mix with other household chemical products. Do not mix with acid.		
Advice on general occupational hygiene	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.		
7.2. Conditions for safe storag	e, including any incompatibilities		
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
7.3. Specific end use(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.		
SECTION 8: Exposure Contro	Is/personal protection		
8.1. Control parameters			
	C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3)		
DNEL	Workers - Inhalation; Long term systemic effects: 175 mg/m ³ Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52 mg/m ³ Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day Consumer - Oral; Long term systemic effects: 15 mg/kg/day		

PNEC	 Fresh water; 0.24 mg/l Marine water; 0.024 mg/l Intermittent release; 0.071 mg/l Sediment, Fresh water; 0.917 mg/kg Sediment, Marine water; 0.092 mg/kg Soil; 7.5 mg/kg STP; 10,000 mg/l
	COCONUT DIETHANOLAMIDE (CAS: 68603-42-9)
DNEL	Workers - Inhalation; Long term systemic effects: 73.4 mg/m ³ Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day Workers - Dermal; Long term local effects: 0.0936 mg/cm ² General population - Inhalation; Long term systemic effects: 21.73 mg/m ³ General population - Dermal; Long term systemic effects: 2.5 mg/kg/day General population - Dermal; Long term local effects: 0.0562 mg/cm ² General population - Oral; Long term systemic effects: 6.25 mg/kg/day
PNEC <u>AMIN</u>	 Fresh water; 0.007 mg/l Marine water; 0.001 mg/l STP; 830 mg/l Sediment (Freshwater); 0.195 mg/kg Sediment (Marinewater); 0.019 mg/kg Soil; 0.035 ES, C12-14 -ALKYLDIMETHYL, N-OXIDES (CAS: 308062-28-4)
DNEL	Workers - Inhalation; Long term systemic effects: 15.5 mg/m ³ Workers - Dermal; Long term systemic effects: 11 mg/kg/day General population - Inhalation; Long term systemic effects: 3.8 mg/m ³ General population - Dermal; Long term systemic effects: 5.5 mg/kg/day General population - Oral; Long term systemic effects: 0.44 mg/kg/day
PNEC	 Fresh water; 0.034 mg/l Marine water; 0.003 mg/l STP; 24 mg/l Sediment (Freshwater); 5.24 mg/kg Sediment (Marinewater); 0.524 mg/kg Soil; 1.02 mg/kg DIETHANOLAMINE (CAS: 111-42-2)
DNEL	Workers - Inhalation; Long term local effects: 1 mg/m ³ Workers - Dermal; Long term systemic effects: 0.13 mg/cm ² General population - Inhalation; Long term local effects: 0.25 mg/m ³ General population - Dermal; Long term systemic effects: 0.07 mg/kg/day General population - Oral; Long term systemic effects: 0.06 mg/kg/day
PNEC	 Fresh water; 0.02 mg/l Marine water; 0.002 mg/l STP; 100 mg/l Sediment (Freshwater); 0.092 mg/kg Sediment (Marinewater); 0.009 mg/kg Soil; 0.007 mg/kg

BRONOPOL (INN) (CAS: 52-51-7)

DNEL	Workers - Inhalation; Long term systemic effects: 4.1 mg/m ³ Workers - Inhalation; Short term systemic effects: 12.3 mg/m ³ Workers - Inhalation; Long term local effects: 4.2 mg/m ³ Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day Workers - Dermal; Short term systemic effects: 7 mg/kg/day Workers - Dermal; Long term local effects: 0.013 mg/cm ² Workers - Dermal; Short term local effects: 0.013 mg/cm ² General population - Inhalation; Long term systemic effects: 1.2 mg/m ³ General population - Inhalation; Short term systemic effects: 1.3 mg/m ³ General population - Inhalation; Long term local effects: 1.3 mg/m ³ General population - Inhalation; Short term local effects: 1.4 mg/kg/day General population - Dermal; Long term systemic effects: 1.4 mg/kg/day General population - Dermal; Long term systemic effects: 1.4 mg/kg/day General population - Dermal; Short term systemic effects: 0.008 mg/cm ² General population - Dermal; Short term local effects: 0.008 mg/cm ² General population - Dermal; Short term local effects: 0.008 mg/cm ² General population - Dermal; Short term local effects: 0.35 mg/kg/day General population - Dermal; Short term local effects: 0.35 mg/kg/day General population - Oral; Long term systemic effects: 1.1 mg/kg/day
PNEC	 Fresh water; 0.01 mg/l Marine water; 0.008 mg/l Intermittent release; 0.0025 mg/l STP; 0.43 mg/l Sediment (Freshwater); 0.041 mg/kg Sediment (Marinewater); 0.00328 mg/kg Soil; 0.5 mg/kg
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene. Nitrile rubber. Polyethylene. To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate hand lotion to prevent defatting and cracking of skin.
Hygiene measures	When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.
Respiratory protection	Respiratory protection not required.

Environmental exposure controls	Avoid releasing into the environment.		
SECTION 9: Physical and Che	emical Properties		
9.1. Information on basic phys	ical and chemical properties		
Appearance	Liquid.		
Colour	Green.		
Odour	Perfumed.		
Odour threshold	Not applicable.		
рН	pH (concentrated solution): 7.5		
Relative density	1.015 @ 20°C		
Solubility(ies)	Soluble in water.		
Explosive under the influence of a flame	Not considered to be explosive.		
Comments	Information given is applicable to the product as supplied.		
9.2. Other information			
Other information	Not relevant.		
SECTION 10: Stability and rea	activity		
10.1. Reactivity			
Reactivity	There are no known reactivity hazards associated with this product.		
10.2. Chemical stability			
Stability	Stable at normal ambient temperatures.		
10.3. Possibility of hazardous	reactions		
Possibility of hazardous reactions	Not applicable.		
10.4. Conditions to avoid			
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.		
10.5. Incompatible materials			
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.		
10.6. Hazardous decompositio	10.6. Hazardous decomposition products		
Hazardous decomposition products	No known hazardous decomposition products.		
SECTION 11: Toxicological int	formation		
11.1. Information on toxicologi	cal effects		
Toxicological effects	Information given is based on data of the components and of similar products.		
Acute toxicity - oral Notes (oral LD₅₀)	Based on available data the classification criteria are not met.		
Acute toxicity - dermal			

Notes (dermal LD₅₀)	Calculation method. Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Skin corrosion/irritation	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Irritation of eyes is assumed. Calculation method.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Does not contain any substances known to be mutagenic.
Carcinogenicity Carcinogenicity	Does not contain any substances known to be carcinogenic.
Reproductive toxicity Reproductive toxicity - fertility	Does not contain any substances known to be toxic to reproduction.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
General information	This product has low toxicity.
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
Skin contact	Skin irritation should not occur when used as recommended. Prolonged or repeated exposure may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild dermatitis, allergic skin rash.
Eye contact	Irritating to eyes. May cause serious eye damage. Severe irritation, burning, tearing and blurred vision. Corneal damage.
Texteelegieel information on in	

Toxicological information on ingredients.

C12-14-ALKYL ETHER SULFATES

Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	4,100.0
Species	Rat
ATE oral (mg/kg)	4,100.0
Acute toxicity - dermal	
Acute toxicity dermal (LD₅₀ mg/kg)	2,001.0

	Species		Rat
	ATE dermal (mg/k	g)	2,001.0
SECTION 12	2: Ecological Inform	nation	
Ecotoxicity		Harmful t	to aquatic life with long lasting effects.
12.1. Toxicit	<u>y</u>		
Toxicity		The prod	uct contains a substance which is harmful to aquatic organisms.
Ecological ir	formation on ingre	dients.	
			C12-14-ALKYL ETHER SULFATES
	Acute aquatic toxi	city	
	Acute toxicity - fisl	n	LC₅₀, 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish) REACH dossier information.
	Acute toxicity - aq invertebrates	uatic	EC₅₀, 48 hours: 7.2 mg/l, Daphnia magna REACH dossier information.
	Chronic aquatic to	xicity	
	Chronic toxicity - f life stage	ish early	NOEC, 28 days: 0.14 mg/l, Oncorhynchus mykiss (Rainbow trout) REACH dossier information.
	Chronic toxicity - a invertebrates	aquatic	NOEC, 21 days: 0.27 mg/l, Daphnia magna REACH dossier information.
12.2. Persist	tence and degradal	bility	
Persistence	and degradability	product o No. 648/2 competer	e no data on the degradability of this product. The surfactant(s) contained in this complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 2004 on detergents. Data to support this assertion are held at the disposal of the nt authorities of the Member States and will be made available to them at their direct or at the request of a detergent manufacturer.
Ecological ir	formation on ingre	dients.	
			C12-14-ALKYL ETHER SULFATES
	Biodegradation		Expected to be readily biodegradable. Water - Degradation 100%: 28 days REACH dossier information.
	umulative potential		
	ative potential		available on bioaccumulation.
Ecological in	formation on ingre	dients.	
			C12-14-ALKYL ETHER SULFATES
	Bioaccumulative p	otential	The product is not bioaccumulating.
	Partition coefficier	nt	log Pow: ~ 0.3 REACH dossier information.
12.4. Mobilit	y in soil		
Mobility		The prod	uct is water-soluble and may spread in water systems.
Ecological in	formation on ingre	dients.	

C12-14-ALKYL ETHER SULFATES

Mobility	The product is soluble in water.
Adsorption/des	
coefficient	
12.5. Results of PBT and vP	VB assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
Ecological information on ing	gredients.
	C12-14-ALKYL ETHER SULFATES
Results of PBT assessment	and vPvB This substance is not classified as PBT or vPvB according to current EU criteria.
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal cons	siderations
13.1. Waste treatment metho	ods
General information	Do not discharge into drains or watercourses or onto the ground.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Reuse or recycle products wherever possible.
SECTION 14: Transport info	rmation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
14.2. UN proper shipping na	ime
Not applicable.	
14.3. Transport hazard class	s(es)
No transport warning sign re	equired.
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	<u>S</u>
Environmentally hazardous s	substance/marine pollutant
14.6. Special precautions for	r user
Not applicable.	
14.7. Transport in bulk accor	rding to Annex II of MARPOL and the IBC Code
Transport in bulk according t Annex II of MARPOL 73/78 and the IBC Code	to Not applicable.

SECTION 15: Regulatory information

Notional regulations	The Centrel of Substances Hazardous to Haalth Degulations 2002 (SI 2002 No. 2677) (as
National regulations	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
	December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
	Commission Regulation (EU) No 453/2010 of 20 May 2010.
	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
	Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative
	occupational exposure limit values in implementation of Council Directive 98/24/EC on the
	protection of the health and safety of workers from the risks related to chemical agents at work (as amended).
	Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.
	Commission Regulation (EU) No 2015/830 of 28 May 2015.
Guidance	Workplace Exposure Limits EH40.
	ECHA Guidance on the Application of the CLP Criteria.
	ECHA Guidance on the compilation of safety data sheets.
	COSHH Essentials.
	Technical Guidance WM2: Hazardous Waste.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 DNEL: Derived No Effect Level. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
Revision comments	New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of 28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	02/07/2018
Revision	3
Supersedes date	05/06/2017
SDS number	20609
Risk phrases in full	Not classified. R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R37/38 Irritating to respiratory system and skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.

Hazard statements in full	H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation.
	H335 May cause respiratory irritation.
	H400 Very toxic to aquatic life.
	H411 Toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.