



SAFETY DATA SHEET

5L SUPER PROFESSIONAL HARD SURFACE CLEANER H11

Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	5L SUPER PROFESSIONAL HARD SURFACE CLEANER H11	
Product number	800-222-1108 H11	
Container size	2 x 5 litres	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Detergent.	
1.3. Details of the supplier of	the safety data sheet	
Supplier	Mirius™ A Coventry Group Company Woodhams Road Siskin Drive Coventry CV3 4FX Tel: +44 (0) 02476 639 739 Fax: +44 (0) 02476 639 717 Email: sales@mirius.com	
Contact person	For content of safety data sheet:, sds@mirius.com	
1.4. Emergency telephone number		
1.4. Emergency telephone nu	Imber	
1.4. Emergency telephone nu Emergency telephone	Imber +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)	
Emergency telephone	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human	
Emergency telephone National emergency telephone	 +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 	
Emergency telephone National emergency telephon number	 +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 	
Emergency telephone National emergency telephon number SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) e In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 cation tance or mixture	
Emergency telephone National emergency telephon number SECTION 2: Hazards identifie 2.1. Classification of the subs Classification (EC 1272/2008 Physical hazards	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) IN In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 Cation Itance or mixture Not Classified	
Emergency telephone National emergency telephon number SECTION 2: Hazards identifie 2.1. Classification of the subs Classification (EC 1272/2008 Physical hazards Health hazards	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) e In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 cation tance or mixture Not Classified Skin Irrit. 2 - H315 Eye Dam. 1 - H318	
Emergency telephone National emergency telephon number SECTION 2: Hazards identifie 2.1. Classification of the subs Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) IN In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 Cation Itance or mixture Not Classified	
Emergency telephone National emergency telephone number SECTION 2: Hazards identifie 2.1. Classification of the subs Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards 2.2. Label elements	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) e In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 cation tance or mixture Not Classified Skin Irrit. 2 - H315 Eye Dam. 1 - H318	
Emergency telephone National emergency telephon number SECTION 2: Hazards identifie 2.1. Classification of the subs Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) e In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 cation tance or mixture Not Classified Skin Irrit. 2 - H315 Eye Dam. 1 - H318	

1/10

Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage.
Precautionary statements	 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.
Contains	ALCOHOLS, C12-14, ETHOXYLATED, DISODIUM METASILICATE
Detergent labelling	< 5% EDTA and salts thereof, < 5% non-ionic surfactants, < 5% perfumes, Contains d- LIMONENE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures			
ALCOHOLS, C12-14, ETHOXYLATED			1-5%
CAS number: 68439-50-9	EC number: 500-213-3	REACH registration number: 01- 2119487984-16-XXXX	
M factor (Acute) = 1			
Classification	Classifica	tion (67/548/EEC or 1999/45/EC)	
Eye Dam. 1 - H318	Xi;R41. N	;R50.	
Aquatic Acute 1 - H400			
Aquatic Chronic 3 - H412			
DISODIUM METASILICATE			1-5%
CAS number: 6834-92-0	EC number: 229-912-9	REACH registration number: 01- 2119449811-37-XXXX	
Classification	Classifica	tion (67/548/EEC or 1999/45/EC)	
Met. Corr. 1 - H290	C;R34 Xi;		
Skin Corr. 1B - H314			
Eye Dam. 1 - H318			
STOT SE 3 - H335			
2-(2-BUTOXYETHOXY)ETHANOL			<1%
CAS number: 112-34-5	EC number: 203-961-6	REACH registration number: 01- 2119475104-44-xxxx	
Classification			
Eye Irrit. 2 - H319			

AMINES, C12-14 -ALKYLD	IMETHYL, N-OXIDES	<1%
CAS number: 308062-28-4	EC number: 931-292-6	REACH registration number: 01- 2119490061-47-XXXX
M factor (Acute) = 1		
Classification	Classificatio	on (67/548/EEC or 1999/45/EC)
Acute Tox. 4 - H302	Xn;R22. Xi	;R38,R41. N;R50.
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		
The Full Text for all R-Phrase	es and Hazard Statements are Displayed in Se	ection 16.
SECTION 4: First aid measu	res	
4.1. Description of first aid mo	easures	
General information	Provide eyewash station.	
nhalation	Move affected person to fresh air at once. I attention if any discomfort continues.	Rinse nose and mouth with water. Get medical
ngestion	Never give anything by mouth to an uncons mouth thoroughly with water. Get medical a	scious person. Do not induce vomiting. Rinse attention if any discomfort continues.
Skin contact	Wash skin thoroughly with soap and water. attention promptly if symptoms occur after	Remove contaminated clothing. Get medical washing.
Eye contact		move any contact lenses and open eyelids wide utes. Get medical attention if irritation persists after ne medical personnel.
I.2. Most important symptom	s and effects, both acute and delayed	
General information	Provide eyewash station.	
		<i></i>

Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the following adverse effects: Irritation and redness, followed by blurred vision. Corneal damage. Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting measures	
5.1. Extinguishing media	

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release measures		
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	For personal protection, see Section 8. Treat the spilled material according to the instructions in the clean-up section. Take care as floors and other surfaces may become slippery.	
6.2. Environmental precaution	5	
Environmental precautions	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.	
6.4. Reference to other section	<u>18</u>	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do not mix with other household chemical products. Do not mix with acid.	
Advice on general occupational hygiene	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.	
7.2. Conditions for safe storag	e, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure Controls/personal protection		
8.1. Control parameters		
Occupational exposure limits		
2-(2-BUTOXYETHOXY)ETHA		
Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m ³ Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m ³		

WEL = Workplace Exposure Limit

ALCOHOLS, C12-14, ETHOXYLATED (CAS: 68439-50-9)

DNEL	Workers - Inhalation; Long term systemic effects: 294 mg/m ³ Workers - Dermal; Long term systemic effects: 2080 mg/kg/day General population - Inhalation; Long term systemic effects: 87 mg/m ³ General population - Dermal; Long term systemic effects: 1250 mg/kg/day General population - Oral; Long term systemic effects: 25 mg/kg/day
PNEC	 Fresh water; 0.0437 mg/l Intermittent release; 0.004 mg/l STP; 10 mg/l Sediment (Freshwater); 31 mg/kg Sediment (Marinewater); 31 mg/kg Soil; 1 mg/kg
	2-(2-BUTOXYETHOXY)ETHANOL (CAS: 112-34-5)
DNEL	Workers - Inhalation; Long term systemic effects: 67.5 mg/m ³ Workers - Inhalation; Long term local effects: 67.5 mg/m ³ Workers - Dermal; Long term systemic effects: 20 mg/kg/day General population - Inhalation; Long term systemic effects: 34 mg/m ³ General population - Inhalation; Long term local effects: 34 mg/m ³ General population - Inhalation; Short term local effects: 34 mg/m ³ General population - Inhalation; Short term local effects: 50.6 mg/m ³ General population - Inhalation; Short term local effects: 50.6 mg/m ³ General population - Dermal; Long term systemic effects: 10 mg/kg/day General population - Oral; Long term systemic effects: 1.25 mg/kg/day
PNEC	 Fresh water; 1 mg/l Marine water; 0.1 mg/l Intermittent release; 3.9 mg/l STP; 200 mg/l Sediment (Freshwater); 4 mg/kg Sediment (Marinewater); 0.4 mg/kg Soil; 0.4 mg/kg
A	MINES, C12-14 -ALKYLDIMETHYL, N-OXIDES (CAS: 308062-28-4)
DNEL	Workers - Inhalation; Long term systemic effects: 15.5 mg/m ³ Workers - Dermal; Long term systemic effects: 11 mg/kg/day General population - Inhalation; Long term systemic effects: 3.8 mg/m ³ General population - Dermal; Long term systemic effects: 5.5 mg/kg/day General population - Oral; Long term systemic effects: 0.44 mg/kg/day
PNEC	 Fresh water; 0.034 mg/l Marine water; 0.003 mg/l STP; 24 mg/l Sediment (Freshwater); 5.24 mg/kg Sediment (Marinewater); 0.524 mg/kg Soil; 1.02 mg/kg
8.2. Exposure controls	



Appropriate engineering controls

Provide adequate ventilation.

	_
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene. Nitrile rubber. Polyethylene. To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate hand lotion to prevent defatting and cracking of skin.
Hygiene measures	When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.
Respiratory protection	Respiratory protection not required.
Environmental exposure controls	Avoid releasing into the environment.
SECTION 9: Physical and Chemical Properties	
9.1. Information on basic physical and chemical properties	
A ========	

Appearance	Liquid.	
Colour	Yellow.	
Odour	Lemon.	
рН	pH (concentrated solution): 13.0	
Relative density	1.030 @ @ 20°C	
Solubility(ies)	Soluble in water.	
Explosive under the influence of a flame	Not considered to be explosive.	
Comments	Information given is applicable to the product as supplied.	
9.2. Other information		
Other information	Not relevant.	
SECTION 10: Stability and reactivity		
SECTION 10: Stability and rea	ictivity	
SECTION 10: Stability and rea 10.1. Reactivity	ictivity	
· · ·	There are no known reactivity hazards associated with this product.	
10.1. Reactivity		
10.1. Reactivity Reactivity		
10.1. Reactivity Reactivity 10.2. Chemical stability	There are no known reactivity hazards associated with this product. Stable at normal ambient temperatures.	
10.1. ReactivityReactivity10.2. Chemical stabilityStability	There are no known reactivity hazards associated with this product. Stable at normal ambient temperatures.	
10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous	There are no known reactivity hazards associated with this product. Stable at normal ambient temperatures. reactions	

10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decompositio	on products	
Hazardous decomposition products	No known hazardous decomposition products.	
SECTION 11: Toxicological in	formation	
11.1. Information on toxicologi	ical effects	
Toxicological effects	Information given is based on data of the components and of similar products.	
Acute toxicity - oral		
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye damage. Calculation method.	
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity Genotoxicity - in vitro	Does not contain any substances known to be mutagenic.	
Carcinogenicity Carcinogenicity	Does not contain any substances known to be carcinogenic.	
Reproductive toxicity Reproductive toxicity - fertility	Does not contain any substances known to be toxic to reproduction.	
Specific target organ toxicity - single exposure		
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity -		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
General information	This product has low toxicity.	
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.	
Skin contact	Skin irritation should not occur when used as recommended. Prolonged or repeated exposure may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild dermatitis, allergic skin rash.	

Eye contact		Irritating to eyes. May cause serious eye damage. Severe irritation, burning, tearing and blurred vision. Corneal damage.		
SECTION 12: Ecological Information				
Ecotoxicity		There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.		
12.1. Toxicit	Y			
Toxicity		Not considered toxic to fish.		
Ecological in	formation on ingre	adients.		
		ALCOHOLS, C12-14, ETHOXYLATED		
	Acute aquatic tox	icity		
	LE(C)₅₀	$0.1 < L(E)C50 \le 1$		
	M factor (Acute)	1		
	Chronic aquatic to	oxicity		
	Chronic toxicity - invertebrates	aquatic NOEC, 21 days: 0.77 mg/l, Daphnia magna		
12.2. Persist	ence and degrada	bility		
Persistence	and degradability	There are no data on the degradability of this product. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.		
12.3. Bioacc	umulative potentia	d -		
Bioaccumula	itive potential	No data available on bioaccumulation.		
Ecological information on ingredients.				
		ALCOHOLS, C12-14, ETHOXYLATED		
	Bioaccumulative	potential No potential for bioaccumulation.		
12.4. Mobilit	y in soil			
Mobility		The product is water-soluble and may spread in water systems.		
12.5. Results	s of PBT and vPvB	assessment		
Results of Plassessment	BT and vPvB	This product does not contain any substances classified as PBT or vPvB.		
12.6. Other a	adverse effects			
Other advers	se effects	None known.		
SECTION 13	3: Disposal conside	erations		
13.1. Waste	treatment method	<u>S</u>		
General info	rmation	Do not discharge into drains or watercourses or onto the ground.		
Disposal me	thods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Reuse or recycle products wherever possible.		

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
EU legislation	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments. 		
Guidance	Commission Regulation (EU) No 2015/830 of 28 May 2015. Workplace Exposure Limits EH40. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets. COSHH Essentials. Technical Guidance WM2: Hazardous Waste.		

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information	n
Abbreviations and acronyms used in the safety data sheet	 DNEL: Derived No Effect Level. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
Revision comments	New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of 28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	11/07/2018
Revision	3
Supersedes date	08/06/2017
SDS number	10364
Risk phrases in full	 R22 Harmful if swallowed. R34 Causes burns. R36 Irritating to eyes. R37 Irritating to respiratory system. R38 Irritating to skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.
Hazard statements in full	 H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.