



SAFETY DATA SHEET

5L SUPER PROFESSIONAL PINK LIQUID HAND SOAP W10

Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the	e substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	5L SUPER PROFESSIONAL PINK LIQUID HAND SOAP W10
Product number	800-292-1123 W10
Internal identification	D8004/3
Container size	2 x 5 litres
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Detergent.
1.3. Details of the supplier of the	ne safety data sheet
Supplier	Mirius™ A Coventry Group Company Woodhams Road Siskin Drive Coventry CV3 4FX Tel: +44 (0) 02476 639 739 Fax: +44 (0) 02476 639 717 Email: sales@mirius.com
Contact person	For content of safety data sheet:, sds@mirius.com
1.4. Emergency telephone num	nber
Emergency telephone	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)
National emergency telephone number	In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24
SECTION 2: Hazards identification	ation
2.1. Classification of the substa	ance or mixture
Classification (EC 1272/2008)	
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified
2.2. Label elements	
Hazard statements	NC Not Classified
Precautionary statements	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Detergent labelling	< 5% anionic surfactants, < 5% non-ionic surfactants, < 5% perfumes, Contains 2-Bromo-2- nitropropane-1, 3-diol, SODIUM BENZOATE, METHYLCHLOROISOTHIAZOLINONE and METHYLISOTHIAZOLINONE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/info	rmation on ingredients		
3.2. Mixtures			
C12-14-ALKYL ETHER SULF	FATES		1-5%
CAS number: 68891-38-3	EC number: 500-234	4-8 REACH registration number: 01- 2119488639-16-XXXX	
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412		Classification (67/548/EEC or 1999/45/EC) Xi;R38,R41.	
ALKYL AMIDO PROPYL DIM	IETHYLAMINE BETAINE		1-5%
CAS number: 61789-40-0	EC number: 263-058	3-8	
Classification Eye Dam. 1 - H318 Aquatic Chronic 3 - H412		Classification (67/548/EEC or 1999/45/EC) Xi;R36.	
COCONUT DIETHANOLAMI	DE		1-5%
CAS number: 68603-42-9	EC number: 931-329	9-6	
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411		Classification (67/548/EEC or 1999/45/EC) Xi;R38,R41.	
MONOPROPYLENE GLYCO	L		1-5%
CAS number: 57-55-6			
Classification Not Classified		Classification (67/548/EEC or 1999/45/EC) -	
The Full Text for all R-Phrases	s and Hazard Statements are Dis	played in Section 16.	
SECTION 4: First aid measure	es		
4.1. Description of first aid mea	asures		
Ingestion		o an unconscious person. Do not induce vomiting. Rinse et medical attention if any discomfort continues.	9
Eve contact	Rinse immediately with plenty of	of water. Remove any contact lenses and open evelids w	vide

experimediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion	May cause discomfort if swallowed.	
Eye contact	May cause temporary eye irritation.	
4.3. Indication of any immediate medical attention and special treatment needed		
Notes for the doctor	No specific recommendations.	
SECTION 5: Firefighting meas	ures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.	
5.2. Special hazards arising fro	om the substance or mixture	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental releas	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.	
6.2. Environmental precaution	<u>8</u>	
6.2. Environmental precaution: Environmental precautions	Solution Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.	
	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.	
Environmental precautions	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.	
Environmental precautions 6.3. Methods and material for	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground. containment and cleaning up Stop leak if safe to do so. Take care as floors and other surfaces may become slippery. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.	
Environmental precautions 6.3. Methods and material for Methods for cleaning up	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground. containment and cleaning up Stop leak if safe to do so. Take care as floors and other surfaces may become slippery. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.	
Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground. containment and cleaning up Stop leak if safe to do so. Take care as floors and other surfaces may become slippery. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. Step For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.	
Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section Reference to other sections	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground. Containment and cleaning up Stop leak if safe to do so. Take care as floors and other surfaces may become slippery. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. S For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.	
Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section Reference to other sections SECTION 7: Handling and sto	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground. Containment and cleaning up Stop leak if safe to do so. Take care as floors and other surfaces may become slippery. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. S For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.	
Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section Reference to other sections SECTION 7: Handling and sto 7.1. Precautions for safe hand	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground. Containment and cleaning up Stop leak if safe to do so. Take care as floors and other surfaces may become slippery. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. S For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13. Tage	
Environmental precautions 6.3. Methods and material for a Methods for cleaning up 6.4. Reference to other section Reference to other sections SECTION 7: Handling and sto 7.1. Precautions for safe hand Usage precautions Advice on general occupational hygiene	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground. Containment and cleaning up Stop leak if safe to do so. Take care as floors and other surfaces may become slippery. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. S For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13. Trage Ing Avoid contact with eyes. Avoid spilling. No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. Wash at the end of each work shift	
Environmental precautions 6.3. Methods and material for a Methods for cleaning up 6.4. Reference to other section Reference to other sections SECTION 7: Handling and sto 7.1. Precautions for safe hand Usage precautions Advice on general occupational hygiene	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground. Containment and cleaning up Stop leak if safe to do so. Take care as floors and other surfaces may become slippery. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. S For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13. Trage Iing Avoid contact with eyes. Avoid spilling. No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. Wash at the end of each work shift and before eating, smoking and using the toilet.	
Environmental precautions <u>6.3. Methods and material for or</u> Methods for cleaning up <u>6.4. Reference to other section</u> Reference to other sections <u>SECTION 7: Handling and sto</u> <u>7.1. Precautions for safe hand</u> Usage precautions Advice on general occupational hygiene <u>7.2. Conditions for safe storag</u>	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground. Containment and cleaning up Stop leak if safe to do so. Take care as floors and other surfaces may become slippery. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. S For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13. Tage Iing Avoid contact with eyes. Avoid spilling. No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. Wash at the end of each work shift and before eating, smoking and using the toilet. e, including any incompatibilities	

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

MONOPROPYLENE GLYCOL

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m³ total vapour and particulates WEL = Workplace Exposure Limit

C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3)

DNEL	Workers - Inhalation; Long term systemic effects: 175 mg/m ³ Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52 mg/m ³ Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day Consumer - Oral; Long term systemic effects: 15 mg/kg/day
PNEC	 Fresh water; 0.24 mg/l Marine water; 0.024 mg/l Intermittent release; 0.071 mg/l Sediment, Fresh water; 0.917 mg/kg Sediment, Marine water; 0.092 mg/kg Soil; 7.5 mg/kg STP; 10,000 mg/l SODIUM CHLORIDE (CAS: 7647-14-5)
	<u>30DIOM CHEORIDE (CA3. 7047-14-3)</u>
DNEL	Workers - Inhalation; Long term systemic effects: 2068.62 mg/m ³ Workers - Inhalation; Short term systemic effects: 2068.62 mg/m ³ Workers - Dermal; Long term systemic effects: 295.52 mg/kg/day Workers - Dermal; Short term systemic effects: 295.52 mg/kg/day General population - Inhalation; Long term systemic effects: 443.28 mg/m ³ General population - Inhalation; Short term systemic effects: 443.28 mg/m ³ General population - Dermal; Long term systemic effects: 126.65 mg/kg/day General population - Dermal; Short term systemic effects: 126.65 mg/kg/day General population - Oral; Short term systemic effects: 126.65 mg/kg/day General population - Oral; Short term systemic effects: 126.65 mg/kg/day
PNEC	- Fresh water; 5 mg/l - Intermittent release; 19 - STP; 500 mg/l - Soil; 4.86 mg/kg
	COCONUT DIETHANOLAMIDE (CAS: 68603-42-9)
DNEL	Workers - Inhalation; Long term systemic effects: 73.4 mg/m ³ Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day Workers - Dermal; Long term local effects: 0.0936 mg/cm ² General population - Inhalation; Long term systemic effects: 21.73 mg/m ³ General population - Dermal; Long term systemic effects: 2.5 mg/kg/day General population - Dermal; Long term local effects: 0.0562 mg/cm ² General population - Oral; Long term systemic effects: 6.25 mg/kg/day

PNEC	 Fresh water; 0.007 mg/l Marine water; 0.001 mg/l STP; 830 mg/l Sediment (Freshwater); 0.195 mg/kg Sediment (Marinewater); 0.019 mg/kg Soil; 0.035
	MONOPROPYLENE GLYCOL (CAS: 57-55-6)
DNEL	Workers - Inhalation; Long term systemic effects: 168 mg/m ³ Workers - Inhalation; Long term local effects: 10 mg/m ³ General population - Inhalation; Long term systemic effects: 50 mg/m ³ General population - Inhalation; Long term local effects: 10 mg/m ³
PNEC	 Fresh water; 260 mg/l Intermittent release; 183 mg/l Marine water; 26 mg/l STP; 20000 mg/l Sediment (Freshwater); 572 mg/kg Sediment (Marinewater); 57.2 mg/kg Soil; 50 mg/kg
	GLYCEROL (CAS: 56-81-5)
DNEL	Workers - Inhalation; Long term local effects: 56 mg/m ³ General population - Inhalation; Long term local effects: 33 mg/m ³ General population - Oral; Long term systemic effects: 229 mg/kg/day
PNEC	 Fresh water; 0.885 mg/l Marine water; 0.0885 mg/l Intermittent release; 8.85 mg/l STP; 1000 mg/l Sediment (Freshwater); 3.3 mg/kg Sediment (Marinewater); 0.33 mg/kg Soil; 0.141 mg/kg BRONOPOL (INN) (CAS: 52-51-7)
DNEL	Workers - Inhalation; Long term systemic effects: 4.1 mg/m ³ Workers - Inhalation; Short term systemic effects: 12.3 mg/m ³ Workers - Inhalation; Long term local effects: 4.2 mg/m ³ Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day Workers - Dermal; Short term local effects: 0.013 mg/cm ² Workers - Dermal; Short term local effects: 0.013 mg/cm ² General population - Inhalation; Long term systemic effects: 1.2 mg/m ³ General population - Inhalation; Short term systemic effects: 1.2 mg/m ³ General population - Inhalation; Short term local effects: 1.3 mg/m ³ General population - Inhalation; Short term local effects: 1.3 mg/m ³ General population - Inhalation; Short term local effects: 1.4 mg/kg/day General population - Dermal; Long term systemic effects: 4.2 mg/kg/day General population - Dermal; Short term systemic effects: 0.008 mg/cm ² General population - Dermal; Long term local effects: 0.008 mg/cm ² General population - Dermal; Short term local effects: 0.008 mg/cm ² General population - Dermal; Short term local effects: 0.008 mg/cm ² General population - Dermal; Short term local effects: 0.008 mg/cm ² General population - Oral; Long term systemic effects: 0.35 mg/kg/day General population - Oral; Short term systemic effects: 1.1 mg/kg/day

PNEC	 Fresh water; 0.01 mg/l Marine water; 0.008 mg/l Intermittent release; 0.0025 mg/l STP; 0.43 mg/l Sediment (Freshwater); 0.041 mg/kg Sediment (Marinewater); 0.00328 mg/kg Soil; 0.5 mg/kg
	DIETHANOLAMINE (CAS: 111-42-2)
DNEL	Workers - Inhalation; Long term local effects: 1 mg/m³ Workers - Dermal; Long term systemic effects: 0.13 mg/cm² General population - Inhalation; Long term local effects: 0.25 mg/m³ General population - Dermal; Long term systemic effects: 0.07 mg/kg/day General population - Oral; Long term systemic effects: 0.06 mg/kg/day
PNEC	- Fresh water; 0.02 mg/l - Marine water; 0.002 mg/l - STP; 100 mg/l - Sediment (Freshwater); 0.092 mg/kg - Sediment (Marinewater); 0.009 mg/kg - Soil; 0.007 mg/kg
	CITRIC ACID ANHYDROUS (CAS: 77-92-9)
DNEL	Available hazard data do not support the need for a DNEL to be established for other health effects.
PNEC	- Fresh water; 0.44 mg/l - Marine water; 0.044 mg/l - STP; >1000 mg/l - Sediment (Freshwater); 34.6 mg/kg - Sediment (Marinewater); 3.46 mg/kg - Soil; 33.1
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	No specific eye protection required during normal use.
Hand protection	For users with sensitive skin, it is recommended that suitable protective gloves are worn.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate skin cream to prevent drying of skin.
Hygiene measures	When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.
Respiratory protection	Respiratory protection not required.

5L SUPER PROFESSIONAL PINK LIQUID HAND SOAP W10

Environmental exposure controls	Avoid releasing into the environment.	
SECTION 9: Physical and Che	emical Properties	
9.1. Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Pink.	
Odour	Perfume. Floral.	
рН	pH (concentrated solution): 5-6	
Relative density	1.010-1.030 @ 20°C	
Solubility(ies)	Soluble in water.	
Viscosity	1200-2000 cP @ 20°C	
Explosive properties	Not applicable	
Explosive under the influence of a flame	Not considered to be explosive.	
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.	
Comments	Information given is applicable to the product as supplied.	
9.2. Other information		
Other information	Not relevant.	
SECTION 10: Stability and rea	ictivity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Not applicable.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decompositio	on products	
Hazardous decomposition products	Does not decompose when used and stored as recommended.	
SECTION 11: Toxicological inf	formation	
	cal affects	

11.1. Information on toxicological effects

General information	This product has low toxicity.
Inhalation	No specific health hazards known.
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
Skin contact	Skin irritation should not occur when used as recommended.
Eye contact	May cause temporary eye irritation.
SECTION 12: Ecological Inform	mation
Ecotoxicity	There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.
12.1. Toxicity	
Toxicity	Not considered toxic to fish.
12.2. Persistence and degrada	ability
Persistence and degradability	There are no data on the degradability of this product. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.
12.3. Bioaccumulative potentia	al
Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobility in soil	
Mobility	The product is water-soluble and may spread in water systems.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	
General information	The generation of waste should be minimised or avoided wherever possible.
Disposal methods	The packaging must be empty (drop-free when inverted). Wash with plenty of water. Waste packaging should be collected for reuse or recycling. Refer to manufacturer/supplier for information on recovery/recycling. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport inform	nation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National regulations	Control of Substances Hazardous to Health Regulations 2002 (as amended). EH40/2005 Workplace exposure limits.
EU legislation	 Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).
Guidance	Workplace Exposure Limits EH40. COSHH Essentials. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.

15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
Revision comments	New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of 28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date	23/07/2018
Revision	5
Supersedes date	16/06/2017
SDS number	10618
Hazard statements in full	H315 Causes skin irritation.H318 Causes serious eye damage.H411 Toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.