



SAFETY DATA SHEET RKS40

Compiled in Accordance with EU and GB REACH and CLP Regulations.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name RKS40

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Surface Disinfectant for PT2 and PT4 market applications.

Uses advised against Not for Oral Consumption.

1.3. Details of the supplier of the safety data sheet

Supplier COVENTRY CHEMICALS LTD
WOODHAMS RD
SISKIN DRIVE
COVENTRY
CV3 4FX
Tel: +44 (0) 2476639739
Fax: +44 (0) 2476639717
Email: sales@coventrychemicals.com

Contact person For content of safety data sheet: sds@coventrychemicals.com, sds@mirius.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)

National emergency telephone number In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Classification (67/548/EEC or 1999/45/EC) -

2.2. Label elements

Hazard statements NC Not Classified

Supplemental label information EUH031 Contact with acids liberates toxic gas.
EUH210 Safety data sheet available on request.
BPR001 Use biocides safely. Always read the label and product information before use.

RKS40

Contains SODIUM HYPOCHLORITE, CHLORINE DIOXIDE...%

Detergent labelling < 5% disinfectants

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

SODIUM CARBONATE <0.5%		
CAS number: 497-19-8	EC number: 207-838-8	REACH registration number: 01-2119485498-19-XXXX
Classification Eye Irrit. 2 - H319	Classification (67/548/EEC or 1999/45/EC) Xi;R36	
CHLORINE DIOXIDE...% <0.1%		
CAS number: 10049-04-4	EC number: 233-162-8	M factor (Acute) = 10
Classification Acute Tox. 3 - H301 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400	Classification (67/548/EEC or 1999/45/EC) T;R25 C;R34 N;R50	
SODIUM HYPOCHLORITE <0.1%		
CAS number: 7681-52-9	EC number: 231-668-3	REACH registration number: 01-2119488154-34-XXXX
M factor (Acute) = 10	M factor (Chronic) = 1	
Classification Ox. Liq. 2 - H272 Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

RKS40

Skin contact Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information Has the potential to produce Chlorine Gas if mixed with acids.

Inhalation Unlikely to occur, but may lead to temporary irritation in sensitive individuals.

Ingestion Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of GI Tract. A soapy taste may be reported.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Due to the potential for the production of Chlorine Gas, check for respiratory disorders.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Toxic vapours may be given off including Chlorine Dioxide, Chlorine and Hydrochloric Acid.

5.3. Advice for firefighters

Protective actions during firefighting Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

RKS40

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Provide adequate ventilation.
Advice on general occupational hygiene	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store out of direct sunlight between 5 and 30 Degrees C. Store away from acids. 18 month shelf life is indicated.
----------------------------	---

7.3. Specific end use(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

CHLORINE DIOXIDE...%

Long-term exposure limit (8-hour TWA): WEL 0.1 ppm 0.28 mg/m³

Short-term exposure limit (15-minute): WEL 0.3 ppm 0.84 mg/m³

SODIUM HYPOCHLORITE

Short-term exposure limit (15-minute): WEL 0.5 ppm 1.5 mg/m³

WEL = Workplace Exposure Limit.

SODIUM CARBONATE (CAS: 497-19-8)

DNEL	Workers - Inhalation; Long term local effects: 10 mg/m ³ General population - Inhalation; Long term local effects: 10 mg/m ³
-------------	---

SODIUM HYPOCHLORITE (CAS: 7681-52-9)

DNEL	Industry - Inhalation; Long term local effects: 1.55 mg/m ³ Industry - Inhalation; Long term systemic effects: 1.55 mg/m ³ Industry - Inhalation; Short term local effects: 3.1 mg/m ³ Industry - Inhalation; Short term systemic effects: 3.1 mg/m ³ Consumer - Inhalation; Long term local effects: 1.55 mg/m ³ Consumer - Inhalation; Long term systemic effects: 1.55 mg/m ³ Consumer - Inhalation; Short term local effects: 3.1 mg/m ³ Consumer - Inhalation; Short term systemic effects: 3.1 mg/m ³ Consumer - Oral; Long term systemic effects: 0.26 mg/kg/day
PNEC	- Fresh water; 0.00021 mg/l - marine water; 0.000042 mg/l - Intermittent release; 0.00026 mg/l - STP; 4.69 mg/l - ;

8.2. Exposure controls

Appropriate engineering controls	Provide adequate ventilation.
---	-------------------------------

RKS40

Personal protection	This is not a COSHH/risk assessment, but should be used to assist in the development of a COSHH/risk assessment. Although unclassified, the use of gloves and eye protection should be considered when mitigating risks.
Eye/face protection	No specific eye protection required during normal use. During the manufacture and filling of this product eye protection is recommended refer to EN166.
Hand protection	For users with sensitive skin, it is recommended that suitable protective gloves are worn. During Manufacture and Filling operations use of hand protection is recommended. Gloves with a breakthrough time of >60 minutes are recommended. Refer to standard EN374 for compatible materials.
Other skin and body protection	Wear suitable protective clothing as protection against splashing or contamination.
Hygiene measures	Good personal hygiene procedures should be implemented.
Respiratory protection	No specific requirements are anticipated under normal conditions of use.
Environmental exposure controls	Avoid releasing into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Colourless.
Odour	Chlorine.
Odour threshold	Not applicable.
pH	7 -8.5 @20 Degrees C
Melting point	Not applicable.
Initial boiling point and range	90 - 105 Degrees C.
Flash point	Not applicable.
Evaporation rate	No specific test data are available.
Evaporation factor	Not applicable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Other flammability	Not applicable.
Vapour pressure	No specific test data are available.
Vapour density	No specific test data are available.
Relative density	1.0 - 1.02 @ 20Degrees C.
Solubility(ies)	Soluble in water.
Partition coefficient	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not determined.

RKS40

Explosive properties	Not applicable
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not applicable.
Comments	Information given is applicable to the product as supplied.

9.2. Other information

Other information	Not relevant.
--------------------------	---------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	Under normal storage and use conditions this product is not expected to react, although activity will reduce with time.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
------------------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Contact with acids liberates toxic chlorine gas.
---	--

10.4. Conditions to avoid

Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
----------------------------	---

10.5. Incompatible materials

Materials to avoid	Avoid contact with acids. Avoid contact with oxidising agents. Avoid contact with reducing agents.
---------------------------	--

10.6. Hazardous decomposition products

Hazardous decomposition products	None known.
---	-------------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

General information	This product has low toxicity.
Inhalation	No specific health hazards known.
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
Skin contact	Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.
Eye contact	May cause temporary eye irritation.

SECTION 12: Ecological information

Ecotoxicity	There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.
--------------------	--

12.1. Toxicity

Toxicity	Not considered toxic to fish.
-----------------	-------------------------------

RKS40

12.2. Persistence and degradability

Persistence and degradability This product is entirely inorganic, biodegradability does not apply.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not applicable.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Do not discharge into drains or watercourses or onto the ground.

Disposal methods Packaging is recyclable. Wash out containers with water before disposal. Normal use solutions are expected to be flushed to sewers.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

Road transport notes Not classified.

Rail transport notes Not classified.

Sea transport notes Not classified.

Air transport notes Not classified.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

Not applicable.

RKS40

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	GB (UK) CLP and REACH Regulations. Control of Substances Hazardous to Health Regulations 2002 (as amended). EH40/2005 Workplace exposure limits.
EU legislation	Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).
Guidance	Workplace Exposure Limits EH40. COSHH Essentials. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.

15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	PBT Persistent Bio-accumulative and Toxic vPvB very Persistent, very Bio-accumulative
Revision comments	This is the first issue.
Revision date	17/06/2021
Revision	1
Hazard statements in full	H290 May be corrosive to metals. H301 Toxic if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.----- END OF SDS -----